VOLUME XV, PART II.

SUBJECT INDEX.

A

Aggregates (see also **Concrete**).
Weight-Volumetric Proportioning of Concrete — in Testing. J. A. Kitts, 153. Discussion, 161.

Alloys.
Fatigue of Copper —. Ernst Jonson, 101. Discussion, 109.
The Relation between Maximum Strength, Brinell Hardness and Scleroscope Hardness in Treated and Untreated Alloy and Plain Steels. Robert R. Albott, 42. Discussion, 60.

Anhydrous Sulfuric Acid.
The Effect of Finer Grinding and a Higher SO_3 Content upon the Physical Properties of Portland Cement. P. H. Bates, 126. Discussion, 150.

Apparatus (see also **Strainometer**).
A Cylinder Friction and Lubrication —. Alan E. Flowers, 399. Discussion, 412.

Ash.
The Fusibility of Coal —. A. C. Fieldner, A. E. Hall and A. L. Feild, 297. Discussion, 344.

B

Battery Zincs.
—: Some Cause of Defective Service. Robert Job and F. F. White, 112. Discussion, 116.

Bins.
A Laboratory Method of Determining Pressures on Walls and —. J. Hammond Smith, 382. Discussion, 395.

Bitumens.
Some Experiments on Technical —. S. R. Church and John Morris Weiss, 274. Discussion, 294.

Brinell Hardness.
The Relation between Maximum Strength, — and Scleroscope Hardness in Treated and Untreated Alloy and Plain Steels. Robert R. Abbott, 42. Discussion, 60.

C

Cement (see also **Concrete**).
The Effect of Finer Grinding and a Higher SO_3 Content upon the Physical Properties of Portland —. P. H. Bates, 126. Discussion, 150.

Ceramic Products.
The Legal Interpretation of the Word "Vitrified" as Applied to —. Edward Orton, Jr., 245. Discussion, 265.
Charpy Impact Test.
See **Impact.**
Coal.
The Fusibility of — Ash. A C. Fieldner, A. E. Hall and A. L. Feild, 297. Discussion, 344.
Coatings.
The Determination of Spelter Coating on Sheets and Wire. J. A. Aupperle, 119. Discussion, 124.
Columns.
An Investigation of the Strength and Elastic Properties of Concrete-Filled Pipe —. F. W. Swain and A. F. Holmes, 230.
Concrete.
An Investigation of the Strength and Elastic Properties of — -Filled Pipe Columns. F. W. Swain and A. F. Holmes, 230.
The Microstructure of Concretes. Nathan C. Johnson, 171. Discussion, 214.
Weight-Volumetric Proportioning of — Aggregates in Testing. J. A. Kitts, 153. Discussion, 161.
Copper.
Fatigue of — Alloys. Ernst Jonson, 101. Discussion, 109.
Cylinder.
A — Friction and Lubrication Testing Apparatus. Alan E. Flowers, 399. Discussion 412.

D

Decarburization.
Micrographic Determination of Surface — in Heat-Treated Steels. J. G. Ayers, Jr., 80.
Defective Service.
Battery Zincs: Some Causes of —. Robert Job and F. F. White, 112. Discussion, 116.

E

Elastic Limit.
—. T. D. Lynch, 415. Discussion, 431.
Elastic Properties.
An Investigation of the Strength and — of Concrete-Filled Pipe Columns. F. W. Swain and A. F. Holmes, 230.
Etching.
Molten Zinc as a Reagent for the Macroscopic — of Iron and Steel. Jesse L. Jones, 89. Discussion, 96.
Experiments (see also **Tests**).
Some — on Technical Bitumens. S. R. Church and John Morris Weiss, 274. Discussion, 294.

F

Failure.
The — of Materials Under Repeated Stress. H. F. Moore and F. B. Seely, 437. Discussion, 463.
Fatigue (see also **Repeated Stress**).
— of Copper Alloys. Ernst Jonson, 101. Discussion, 109.
Fine Grinding.
The Effect of Finer Grinding and a Higher SO_3 Content upon the Physical Properties of Portland Cement. P. H. Bates, 126. Discussion, 150.
Friction.
A Cylinder — and Lubrication Testing Apparatus. Alan E. Flowers, 399. Discussion, 412.
Fungus Bed.
A — Test of Wood Preservatives. Cloyd M. Chapman, 267.
Fusibility.
The — of Coal Ash. A. C. Fieldner, A. E. Hall. and A. L. Feild, 297. Discussion, 344.

G

Grinding.
The Effect of Finer — and a Higher SO_3 Content upon the Physical Properties of Portland Cement. P. H. Bates, 126. Discussion, 150.

H

Hardness.
The Relation between Maximum Strength, Brinell — and Scleroscope — in Treated and Untreated Alloy and Plain Steels. Robert R. Abbott, 42. Discussion, 60.
Heat-Treated Steels.
Micrographic Determination of Surface Decarburization in —. J. G. Ayers, Jr., 80.
The Charpy Impact Test on —. J. J. Thomas, 62.
The Relation between Maximum Strength, Brinell Hardness and Scleroscope Hardness in Treated and Untreated Alloy and Plain Steels. Robert R. Abbott, 42. Discussion, 60.
Heat Treatment.
Internal Stresses Developed by Different Quenching Mediums and Their Effects. H. V. Wille, 27. Discussion, 39.
Some Neglected Phenomena in the — of Steel. M. E. Leeds, 5. Discussion, 23.

I

Impact.
The Charpy — Test on Heat-Treated Steels. J. J. Thomas, 62.
Internal Stresses.
— Developed by Different Quenching Mediums and Their Effects. H. V. Wille, 27. Discussion, 39.

Iron.
Molten Zinc as a Reagent for the Macroscopic Etching of — and Steel. Jesse L. Jones, 89. Discussion, 96.

L

Laboratory.
A — Method of Determining Pressures on Walls and Bins. J. Hammond Smith, 382. Discussion, 395.
The New Physical and Chemical — of the Pennsylvania Railroad Company at Altoona. C. D. Young, 348.
Legal Interpretation.
The — of the Word "Vitrified" as Applied to Ceramic Products. Edward Orton, Jr., 245. Discussion, 265.
Lubrication.
A Cylinder Friction and — Testing Apparatus. Alan E. Flowers, 399. Discussion, 412.

M

Macroscopic Etching.
See **Etching.**
Maximum Strength.
The Relation between —, Brinell Hardness and Scleroscope Hardness in Treated and Untreated Alloy and Plain Steels. Robert R. Abbott, 42. Discussion, 60.
Methods (see also **Tests**).
A Laboratory Method of Determining Pressures on Walls and Bins. J. Hammond Smith, 382. Discussion, 395.
Micrographic Determination.
— of Surface Decarburization in Heat-Treated Steels. J. G. Ayers, Jr., 80.
Microstructure.
The — of Concretes. Nathan C. Johnson, 171. Discussion, 214.
Molten Zinc.
See **Zinc.**

P

Pennsylvania Railroad Laboratory.
The New Physical and Chemical Laboratory of the Pennsylvania Railroad Company at Altoona. C. D. Young, 348.
Pipe.
An Investigation of the Strength and Elastic Properties of Concrete-Filled — Columns. F. W. Swain and A. F. Holmes, 230.
Portland Cement.
See **Cement.**
Preservatives.
A Fungus Bed Test of Wood —. Cloyd M. Chapman, 267.

Pressures.
A Laboratory Method of Determining — on Walls and Bins. J. Hammond Smith, 382. Discussion 395.
Proportioning.
Weight-Volumetric — of Concrete Aggregates in Testing. J. A. Kitts, 153. Discussion, 161.

Q

Quenching Mediums.
Internal Stresses Developed by Different — and Their Effects. H. V. Wille, 27. Discussion, 39.

R

Repeated Stress.
The Failure of Materials under —. H. F. Moore and F. B. Seely, 437. Discussion, 463.

S

Scleroscope Hardness.
The Relation between Maximum Strength, Brinell Hardness and — in Treated and Untreated Alloy and Plain Steels. Robert R. Abbott, 42. Discussion, 60.
Sheets.
The Determination of Spelter Coating on — and Wire. J. A. Aupperle, 119. Discussion, 124.
Spelter (see also **Zinc**).
The Determination of — Coating on Sheets and Wire. J. A. Aupperle, 119. Discussion, 124.
Steel.
Micrographic Determination of Surface Decarburization in Heat-Treated Steels. J. G. Ayers, Jr., 80.
Molten Zinc as a Reagent for the Macroscopic Etching of Iron and —. Jesse L. Jones, 89. Discussion, 96.
Some Neglected Phenomena in the Heat Treatment of —. M. E. Leeds, 5. Discussion, 23.
The Charpy Impact Test on Heat-Treated Steels. J. J. Thomas, 62.
The Relation between Maximum Strength, Brinell Hardness and Scleroscope Hardness in Treated and Untreated Alloy and Plain Steels. Robert R. Abbott, 42. Discussion, 60.
Strainometer.
A Universal — of Simple Design. S. H. Graf, 376.
Strength.
An Investigation of the — and Elastic Properties of Concrete-Filled Pipe Columns. F. W. Swain and A. F. Holmes, 230.
The Relation between Maximum —, Brinell Hardness and Scleroscope Hardness in Treated and Untreated Alloy and Plain Steels. Robert R. Abbott, 42. Discussion, 60.

Stresses.
Internal — Developed by Different Quenching Mediums and Their Effects. H. V. Wille, 27. Discussion, 39.
The Failure of Materials Under Repeated Stress. H. F. Moore and F. B. Seely, 437. Discussion, 463.
Sulfuric Acid.
The Effect of Finer Grinding and a Higher SO_3 Content upon the Physical Properties of Portland Cement. P. H. Bates, 126. Discussion, 150.
Surface Decarburization.
See **Decarburization.**

T

Technical Bitumens.
See **Bitumens.**
Testing.
A Cylinder Friction and Lubrication — Apparatus. Alan E. Flowers, 399. Discussion, 412.
Weight-Volumetric Proportioning of Concrete Aggregates in —. J. A. Kitts, 153. Discussion, 161.
Tests (see also **Experiments, Methods, Testing**).
A Fungus Bed Test of Wood Preservatives. Cloyd M. Chapman, 267.
The Charpy Impact Test on Heat-Treated Steels. J. J. Thomas, 62.

V

Vitrification.
The Legal Interpretation of the Word "Vitrified" as Applied to Ceramic Products. Edward Orton, Jr., 245. Discussion, 263.
Volumetric Proportioning.
See **Weight-Volumetric Proportioning.**

W

Walls.
A Laboratory Method of Determining Pressures on — and Bins. J. Hammond Smith, 382. Discussion, 395.
Weight-Volumetric Proportioning.
— of Concrete Aggregates in Testing. J. A. Kitts, 153. Discussion, 161.
Wire.
The Determination of Spelter Coating on Sheets and —. J. A. Aupperle, 119. Discussion, 124.
Wood Preservatives.
A Fungus Bed Test of —. Cloyd M. Chapman, 267.

Z

Zinc (see also **Spelter**).
Battery Zincs: Some Causes of Defective Service. Robert Job and F. F. White, 112. Discussion, 116.
Molten — as a Reagent for the Macroscopic Etching of Iron and Steel. Jesse L. Jones, 89. Discussion, 96.

AUTHOR INDEX.

A

Abbott, R. R.
The Relation between Maximum Strength, Brinell Hardness and Scleroscope Hardness in Treated and Untreated Alloy and Plain Steels, 42.
Discussion, 24, 60.

Aupperle, J. A.
The Determination of Spelter Coating on Sheets and Wire, 119.
Discussion, 124, 125.

Ayers, J. G., Jr.
Micrographic Determination of Surface Decarburization in Heat-Treated Steels, 80.

B

Bates, P. H.
The Effect of Finer Grinding and a Higher SO_3 Content upon the Physical Properties of Portland Cement, 126.
Discussion, 150, 151, 222.

Bixby, W. H.
Discussion, 219.

Burgess, G. K.
Discussion, 23, 109.

C

Camp, A. D.
Discussion, 266, 344.

Campbell, William.
Discussion, 96.

Chapman, Cloyd M.
A Fungus Bed Test of Wood Preservatices, 267.
Discussion, 161.

Church, S. R.
Some Experiments on Technical Bitumens, 274.
Discussion, 295.

Clamer, G. H.
Discussion, 110.

Conradson, P. H.
Discussion, 412, 414.

F

Feild, A. L.
The Fusibility of Coal Ash, 297.

Fieldner, A. C.
The Fusibility of Coal Ash, 297.
Discussion, 344, 345, 346.

Flowers, Alan E.
A Cylinder Friction and Lubrication Testing Apparatus, 399.
Discussion, 395, 413, 414.
Force, H. J.
Discussion, 151.
Forrest, C. N.
Discussion, 294.
Fowler, G. L.
Discussion, 395.
Furness, Radclyffe.
Discussion, 25.

G

Gibbs, A. W.
Discussion, 344, 396.
Gow, A. C.
Discussion, 163.
Graf, S. H.
A Universal Strainometer of Simple Design, 376.

H

Hall, A. E.
The Fusibility of Coal Ash, 297.
Handy, James O.
Discussion, 109.
Harrington, C. O., Jr.
Discussion, 116, 117, 124.
Hasse, O. C.
Discussion, 346.
Holmes, A. F.
An Investigation of the Strength and Elastic Properties of Concrete-Filled Pipe Columns, 230.
Hunnings, S. V.
Discussion, 39.

J

Job, Robert.
Battery Zincs: Some Causes of Defective Service, 112.
Discussion, 116, 117, 118.
Johnson, Nathan C.
The Microstructure of Concretes, 171.
Discussion, 215, 218, 220, 224, 227.
Jones, Jesse L.
Molten Zinc as a Reagent for the Macroscopic Etching of Iron and Steel, 89.
Discussion, 117, 124.

Jonson, Ernst.
Fatigue of Copper Alloys, 101.
Discussion, 109, 111.

K

Kitts, J. A.
Weight-Volumetric Proportioning of Concrete Aggregates in Testing, 153.
Discussion, 165.

L

Lanza, Gaetano.
Discussion, 432.
Larned, E. S.
Discussion, 215.
Leeds, M. E.
Some Neglected Phenomena in the Heat Treatment of Steel, 5.
Discussion, 26.
Lesley, Robert W.
Discussion, 214.
Linder, O.
Discussion, 117.
Lynch, T. D.
Elastic Limit, 415.
Discussion, 436.

M

MacPherran, R. S.
Discussion, 435.
Marburg, Edgar.
Discussion, 395, 465.
Mattimore, H. S.
Discussion, 150.
Merica, P. D.
Discussion, 109.
Merriman, Mansfield.
Discussion, 109.
Moldenke, Richard.
Discussion, 344.
Moore, H. F.
The Failure of Materials under Repeated Stress, 437.
Discussion, 432, 434, 465, 466.

N

Norris, G. L.
Discussion, 39.

O

Olshausen, G. R.
Discussion, 396, 432, 435.
Orton, Edward, Jr.
The Legal Interpretation of the Word "Vitrified" as Applied to Ceramic Products, 245.
Discussion, 265.

R

Rawdon, H. S.
Discussion, 99.
Rigg, Gilbert.
Discussion, 346.
Rinald, C. D.
Discussion, 224.

S

Schuyler, Mont.
Discussion, 265, 435.
Seely, F. B.
The Failure of Materials under Repeated Stress, 437.
Shuman, Jesse J.
Discussion, 431, 434.
Smith, E. B.
Discussion, 214.
Smith, J. Hammond.
A Laboratory Method of Determining Pressures on Walls and Bins, 382.
Discussion, 396.
Spackman, H. S.
Discussion, 150, 220, 345.
Swain, F. W.
An Investigation of the Strength and Elastic Properties of Concrete-Filled Pipe Columns, 230.

T

Thomas, J. J.
The Charpy Impact Test on Heat-Treated Steels, 62.
Thompson, Sanford E.
Discussion, 218, 219.

W

Walker, Percy H.
Discussion, 124.
Weiss, John Morris.
Some Experiments on Technical Bitumens, 274.
Discussion, 295.
White, F. F.
Battery Zincs: Some Causes of Defective Service, 112.

Wickhorst, M. H.
Discussion, 463.
Wig, R. J.
Discussion, 215, 225.
Wille, H. V.
Internal Stresses Developed by Different Quenching Mediums and Their Effects, 27.
Discussion, 23, 25, 40, 60.

Y

Young, C. D.
The New Physical and Chemical Laboratory of the Pennsylvania Railroad Company at Altoona, 348.
Discussion, 464.

Z

Zimmerschied, K. W.
Discussion, 25, 39, 60.